



Texas Commission on Environmental Quality



NELAP-Recognized Laboratory Accreditation is hereby awarded to

City of Odessa Laboratory Services

817 West 42nd Street
Odessa, TX 79764-4000

in accordance with Texas Water Code Chapter 5, Subchapter R, Title 30 Texas Administrative Code Chapter 25, and the National Environmental Laboratory Accreditation Program.

The laboratory's scope of accreditation includes the fields of accreditation that accompany this certificate. Continued accreditation depends upon successful ongoing participation in the program. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current location(s) and accreditation status for particular methods and analyses (www.tceq.texas.gov/goto/lab). Accreditation does not imply that a product, process, system or person is approved by the Texas Commission on Environmental Quality.

Certificate Number: T104704363-19-19

Effective Date: 10/1/2019

Expiration Date: 9/30/2020

A handwritten signature in black ink, appearing to read "T. G. Baker".

Executive Director Texas Commission on
Environmental Quality



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services
817 West 42nd Street
Odessa, TX 79764-4000

Certificate: T104704363-19-19
Expiration Date: 9/30/2020
Issue Date: 10/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method SM 9223-IDEXX Laboratories
Colisure® Test

Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	TX	2502	20231805



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services
817 West 42nd Street
Odessa, TX 79764-4000

Certificate: T104704363-19-19
Expiration Date: 9/30/2020
Issue Date: 10/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Method EPA 1664

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807

Method EPA 200.7

Analyte	AB	Analyte ID	Method ID
Arsenic	TX	1010	10013806
Cadmium	TX	1030	10013806
Chromium	TX	1040	10013806
Copper	TX	1055	10013806
Lead	TX	1075	10013806
Nickel	TX	1105	10013806
Selenium	TX	1140	10013806
Silver	TX	1150	10013806
Zinc	TX	1190	10013806

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200

Method IDEXX Laboratories Colilert®

Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	60002600

Method SM 2130 B

Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	20042200

Method SM 2320 B

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO ₃	TX	1505	20045005



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services
817 West 42nd Street
Odessa, TX 79764-4000

Certificate: T104704363-19-19
Expiration Date: 9/30/2020
Issue Date: 10/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

Method	AB	Analyte ID	Method ID
Method SM 2340 C			
Analyte	AB	Analyte ID	Method ID
Total hardness as CaCO ₃	TX	1755	20047001
Method SM 2510 B			
Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	20048004
Method SM 2540 B			
Analyte	AB	Analyte ID	Method ID
Residue-total (total solids)	TX	1950	20004608
Method SM 2540 C			
Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803
Method SM 2540 D			
Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802
Method SM 4500-H+ B			
Analyte	AB	Analyte ID	Method ID
pH	TX	1900	20104603
Method SM 4500-NH ₃ D			
Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20108809
Method SM 4500-NO ₂ ⁻ B			
Analyte	AB	Analyte ID	Method ID
Nitrite as N	TX	1840	20024004
Method SM 4500-P E			
Analyte	AB	Analyte ID	Method ID
Phosphorus	TX	1910	20025803
Method SM 5210 B			
Analyte	AB	Analyte ID	Method ID
Biochemical oxygen demand (BOD)	TX	1530	20027401
Carbonaceous BOD, CBOD	TX	1555	20027401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services
817 West 42nd Street
Odessa, TX 79764-4000

Certificate: T104704363-19-19
Expiration Date: 9/30/2020
Issue Date: 10/1/2019

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Method SM 5310 B

Analyte	AB	Analyte ID	Method ID
Total Organic Carbon (TOC)	TX	2040	20137206