



## Texas Commission on Environmental Quality

NELAP-Recognized Laboratory Accreditation is hereby awarded to



### City of Odessa Laboratory Services

817 West 42nd Street  
Odessa, TX 79764-4000

in accordance with Texas Water Code Chapter 5, Subchapter R, Title 30 Texas Administrative Code Chapter 25, and the National Environmental Laboratory Accreditation Program.

The laboratory's scope of accreditation includes the fields of accreditation that accompany this certificate. Continued accreditation depends upon successful ongoing participation in the program. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current location(s) and accreditation status for particular methods and analyses ([www.tceq.texas.gov/goto/lab](http://www.tceq.texas.gov/goto/lab)). Accreditation does not imply that a product, process, system or person is approved by the Texas Commission on Environmental Quality.

A handwritten signature in black ink, appearing to read "T. B. Baker", written over a horizontal line.

Executive Director Texas Commission on  
Environmental Quality

Certificate Number: T104704363-18-17

Effective Date: 10/1/2018

Expiration Date: 9/30/2019



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services

817 West 42nd Street  
Odessa, TX 79764-4000

Certificate: T104704363-18-17  
Expiration Date: 9/30/2019  
Issue Date: 10/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Drinking Water***

---

Method SM 9223-IDEXX Laboratories  
Colisure® Test

Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	TX	2502	20231805



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services

817 West 42nd Street  
Odessa, TX 79764-4000

Certificate: T104704363-18-17  
Expiration Date: 9/30/2019  
Issue Date: 10/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

### Matrix: *Non-Potable Water*

Method	AB	Analyte ID	Method ID
<b>Method EPA 1664</b>			
Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807
<b>Method EPA 200.7</b>			
Analyte	AB	Analyte ID	Method ID
Arsenic	TX	1010	10013806
Cadmium	TX	1030	10013806
Chromium	TX	1040	10013806
Copper	TX	1055	10013806
Lead	TX	1075	10013806
Nickel	TX	1105	10013806
Selenium	TX	1140	10013806
Silver	TX	1150	10013806
Zinc	TX	1190	10013806
<b>Method EPA 300.0</b>			
Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Orthophosphate as P	TX	1870	10053200
Sulfate	TX	2000	10053200
<b>Method IDEXX Laboratories Colilert®</b>			
Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	60002600
<b>Method SM 2130 B</b>			
Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	20042200
<b>Method SM 2320 B</b>			
Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO <sub>3</sub>	TX	1505	20045005



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services

817 West 42nd Street  
Odessa, TX 79764-4000

Certificate: T104704363-18-17

Expiration Date: 9/30/2019

Issue Date: 10/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

**Matrix: Non-Potable Water**

<b>Method</b> SM 2340 C	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Total hardness as CaCO <sub>3</sub>	TX	1755	20047001
<b>Method</b> SM 2510 B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Conductivity	TX	1610	20048004
<b>Method</b> SM 2540 B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Residue-total (total solids)	TX	1950	20004608
<b>Method</b> SM 2540 C	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Residue-filterable (TDS)	TX	1955	20049803
<b>Method</b> SM 2540 D	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Residue-nonfilterable (TSS)	TX	1960	20004802
<b>Method</b> SM 4500-Cl <sup>-</sup> B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Chloride	TX	1575	20083801
<b>Method</b> SM 4500-H <sup>+</sup> B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> pH	TX	1900	20104603
<b>Method</b> SM 4500-NH <sub>3</sub> D	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Ammonia as N	TX	1515	20108809
<b>Method</b> SM 4500-NO <sub>2</sub> <sup>-</sup> B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Nitrite as N	TX	1840	20024004
<b>Method</b> SM 4500-P E	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b> Phosphorus	TX	1910	20025803
<b>Method</b> SM 5210 B	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
<b>Analyte</b>			



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

City of Odessa Laboratory Services

817 West 42nd Street  
Odessa, TX 79764-4000

Certificate: T104704363-18-17  
Expiration Date: 9/30/2019  
Issue Date: 10/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Non-Potable Water***

---

Biochemical oxygen demand (BOD)	TX	1530	20027401
Carbonaceous BOD, CBOD	TX	1555	20027401
<b>Method SM 5310 B</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total Organic Carbon (TOC)	TX	2040	20137206