

SET #16

W. Fernandez

# DRAINAGE CRITERIA MANUAL

PREPARED BY

**ESPEY, HUSTON AND ASSOCIATES, INC.**

*ENGINEERING & ENVIRONMENTAL CONSULTANTS*

*ODESSA, TEXAS*

FOR

**CITY OF ODESSA**

DECEMBER, 1977

## ACKNOWLEDGEMENTS

Numerous individuals, agencies, and publications have been instrumental in the preparation of this manual. We wish to convey our appreciation to all who have contributed and in particular to the following sources of information and guidance:

United States Army Corps of Engineers-Fort Worth District, for technical assistance and review.

United States Geological Survey-Water Resources Division, Austin, Texas.

National Oceanic and Atmospheric Administration-Weather Service Office, Austin, Texas.

Texas Department of Water Resources, Austin, Texas.

Texas Highway Department, Bridge Division, Hydraulic Manual, Second Edition. Austin, 1970.

City of Fort Worth, Texas, Public Works Department, Storm Drainage Criteria and Design Manual. Fort Worth, 1967.

City of Waco, Texas, Engineering Department, Storm Drainage Design Manual. Waco, 1959.

Denver Regional Council of Governments, Urban Drainage and Flood Control District, Urban Storm Drainage Criteria Manual, Vol. 1 and 2. Denver, 1969.

City of Austin, Texas, Engineering Department, Drainage Criteria Manual. Austin, 1977.

In addition, the guidance and policy direction provided by the Odessa City Council is also gratefully acknowledged.

## TABLE OF CONTENTS

	<u>Page</u>
SECTION 1 DRAINAGE POLICY FOR THE CITY OF ODESSA, TEXAS	
1.01 General	1-1
1.02 Need for Policy	1-1
1.03 Application of Policy	1-1
1.04 General Policy Statements	1-1
1.05 Computations	1-2
1.06 Required Information with Drainage Plan Submittal	1-2
SECTION 2 DETERMINATION OF DESIGN DISCHARGE	
2.01 General	2-1
2.02 Effect of Urbanization	2-1
2.03 Rational Method	2-3
2.04 Runoff Coefficient	2-3
2.05 Rainfall Intensity-Frequency	2-4
2.06 Area	2-9
2.07 Example of Rational Method Calculation	2-9
SECTION 3 FLOW IN GUTTERS	
3.01 General	3-1
3.02 Permissible Spread of Water	3-2
3.03 Minimum and Maximum Velocity	3-3
3.04 Design Method	3-3
SECTION 4 STORM DRAINAGE INLETS	
4.01 General	4-1
4.02 Classification	4-1
4.03 Inlets in Sumps	4-9
4.04 Inlets on Grade Without Gutter Depression	4-12
4.05 Inlets on Grade With Gutter Depression	4-15
4.06 Use of Figures 4-10 and 4-11	
SECTION 5 FLOW IN STORM DRAINS AND THEIR APPURTENANCES	
5.01 General	5-1
5.02 Velocities and Grades	5-1
5.03 Materials	5-2
5.04 Full or Part Full Flow in Storm Drains	5-3
5.05 Hydraulic Gradient and Profile of Storm Drain	5-14
5.06 Manhole Location	5-15
5.07 Pipe Connections	5-15
5.08 Minor Head Losses at Structures	5-16
5.09 Utilities	5-21

TABLE OF CONTENTS (Cont'd)

	<u>Page</u>
SECTION 6 DESIGN OF ENCLOSED STORM DRAINAGE SYSTEMS	
6.01 General	6-1
6.02 Preliminary Design Considerations	6-1
6.03 Inlet System	6-2
6.04 Storm Sewer System	6-3
SECTION 7 FLOW IN OPEN CHANNELS	
7.01 General	7-1
7.02 Manning's Equation	7-2
7.03 Water Surface Profiles	7-3
7.04 Design Considerations	7-3
7.05 Channel Cross Sections	7-5
7.06 Channel Drops	7-7
7.07 Baffle Chutes	7-7
7.08 Structure Aesthetics	7-8
SECTION 8 DESIGN OF CULVERTS	
8.01 General	8-1
8.02 Quantity of Flow	8-1
8.03 Headwalls and Endwalls	8-1
8.04 Culvert Discharge Velocities	8-4
8.05 Selection of Culvert Size and Type	8-4
SECTION 9 STORAGE	
9.01 General	9-1
9.02 Storage Classification	9-1
9.03 Rainfall Storage	9-2
9.04 Runoff Storage	9-4
9.05 Multipurpose Use	9-5
9.06 Hydraulic Design Criteria	9-5
9.07 Hydraulic Design Methods	9-7
APPENDIX A	A-1
BIBLIOGRAPHY	B-1

## LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
2-1	Effects of Watershed Development on Storm Hydrograph	2-2
2-2	Rainfall Intensity vs. Duration for Selected Return Periods	2-5
2-3	Nomograph for Time of Concentration	2-6
2-4	Velocities for Estimating $T_c$	2-8
3-1	Nomograph for Flow in Triangular Channels	3-4
3-2	Gutter Flow Curves	3-6
3-3	Gutter Flow Curves	3-7
3-4	Gutter Flow Curves	3-8
3-5	Gutter Flow Curves	3-9
3-6	Gutter Flow Curves	3-10
4-1	Undepressed Combination Inlet Type A-3 & B-3 (Recessed)	4-2
4-2	Undepressed Grate Inlet Type A-2 & B-2	4-3
4-3	Undepressed Curb-Opening Inlet Type A-1 & B-1 (Recessed)	4-4
4-4	Drop Inlet (Grate Covering) Type A-5	4-5
4-5	Depressed Combination Inlet Type A-3 & C-3	4-6
4-6	Depressed Grate Inlet Type A-2 & C-2	4-7
4-7	Depressed Curb-Opening Inlet Type A-1 & C-1	4-8
4-8	Inlet Capacity Type A-1 & A-4	4-10
4-9	Inlet Capacity Type A-2 & A-5	4-11
4-10	Capacity for Inlets on Grade	4-13
4-11	Ratio of Intercepted to Total Flow for Inlets on Grade	4-14
5-1	Uniform Flow for Pipe	5-5
5-2	Critical Depth of Flow for Circular Conduits	5-6
5-3	Velocity in Pipe Conduits	5-7
5-4	Uniform Flow for Concrete Elliptical Pipe	5-8
5-5	Critical Depth for Elliptical Pipe	5-9

LIST OF FIGURES (CONT'D)

<u>Figure</u>		<u>Page</u>
5-6	Velocity in Elliptical Pipe	5-10
5-7	Uniform Flow for Pipe Arch	5-11
5-8	Critical Depth of Flow for Pipe-Arch	5-12
5-9	Velocity in Pipe-Arch	5-13
5-10	Minor Head Losses Due to Turbulence at Structures	5-17
5-11	Minor Head Losses Due to Turbulence at Structures	5-18
7-1	Uniform Flow for Trapezoidal Channels	7-4
8-1	Culvert Flow Part Full with Outlet Control and Tailwater Depth Above Critical Depth	8-5
8-2	Culvert Flowing Part Full with Outlet Control and Tailwater Depth Above Critical Depth	8-6
8-3	Culvert Flowing Part Full with Inlet Control	8-8
8-4	Culvert Flowing Full with Submerged Outlet	8-9
8-5	Culvert Flowing Full with Partially Submerged Outlet	8-10
8-6	Critical Flow for Box Culverts	8-12
8-7	Uniform Flow for Box Culverts	8-13
8-8	Headwater Depth for Box Culverts with Inlet Control	8-14
8-9	Head for Concrete Box Culverts Flowing Full	8-15
8-10	Critical Depth of Flow for Circular Conduits	8-16
8-11	Uniform Flow for Pipe Culverts	8-17
8-12	Velocity in Pipe Conduits	8-18
8-13	Head for Concrete Pipe Culverts Flowing Full	8-19
8-14	Headwater Depth for Concrete Pipe Culverts with Inlet Control	8-20

## LIST OF TABLES

<u>Table</u>		<u>Page</u>
2-1	Runoff Coefficients	2-4
2-2	Design Frequency	2-9
5-1	Minimum Slope Required to Produce Scouring Velocity	5-2
5-2	Maximum Velocity in Storm Drains	5-2
5-3	Roughness Coefficients "n" for Storm Drains	5-3
5-4	Junction or Structure Coefficient of Loss	5-19
5-5	Head Loss Coefficients Due to Obstructions	5-20
5-6	Head Loss Coefficients Due to Sudden Enlargements and Contractions	5-21
7-1	Computation of Composite Roughness Coefficient for Excavated and Natural Channels	7-5
8-1	Values of Entrance Loss Coefficients " $K_e$ "	8-2
8-2	Reduction Factors for Velocity of Approach	8-3
8-3	Culvert Discharge - Velocity Limitations	8-4
9-1	Hydrograph Development by Modified Rational Method Procedure for 100-Year Rainfall Intensities	9-8
9-2	Development of a 10-Year Frequency Storm	9-13
9-3	Runoff Computations from a 300 Acre Area With a Time of Concentration of 40 Minutes and C-.3	9-14